Fenwal International, Inc

Carretera Sanchez Km 18.5 Parque Industrial Itabo, Zona Franca Ind. de S.C. Haina, Dominican Republic

INTERNATIONAL PRODUCT CERTIFICATION

CODE: R6R2074	BATCH : FA23H0501			5013	
DESCRIPTION: COMPOFLEX 1F	- EMPTY - 400 - COU	PLER -			
DATE OF MANUFACTURE: 08/05/2023			EXPIRATION DATE: 2026-08		
FOR ENDOTOXIN TEST, G.M.P. AND	CE			WITH U.S. F.D.A., EDQM STANDARD	
DATE BACTERIAL ENDOTOXIN	S TEST PASSED (CI	HROMOGEN	IIC OR TURBIDIMETRIC	METHOD): 08/09/2023	
LIMIT		:	0.250 EU/ML		
SAMPLE RESULT		:,	<0.0100 • EU/ML		
STERILIZATION METHOD: N/A		EAM EO	DATE STERILIZATION	PERFORMED: 08/06/2023	
MINIMUM IRRADIATION DOSE:	PER SPEC:	. 14.2 KG	Y PER THIS LOT:	18.3 KGY	
MAXIMUM IRRADIATION DOSE:	PER SPEC:	90.0° KG	PER THIS LOT:	34.6 KGY	
		TEST OF	PRODUCT		
TEST		SPEC REFERENCE		RESULT	
VISUAL INSPECTION		20-03-03-019		Passed ⊠ · Failed □	
BACTERIAL ENDOTOXINS TEST		13-01-T		Passed . Failed .	
FUNCTIONAL INSPECTION, INCLUDING LEAK TEST		20-03-03-019		Passed N Failed	
FINAL FUNCTIONAL		20-03-03-019		Passed A Failed	
OTHER TEST: N/A		N/A		Passed Failed	
SUPPLIER SOL	UTION BAG LO	TS USED	IN CLOSED KITS (ONLY)	APPLY AMICUS APHERESIS KIT)	
0.9% NACL BAG ASSY W/OVER POUCH	ACD-A BAG ASSY W/OVER POUCH		N/A	N/A	
N/A	N/A		N/A	N/A	
	N/A		N/A	N/A	
N/A					

NOTE: FOR NOT APPLICABLE INFOMATION "N/A"

FORM NUMBER: DR0301004F1 REFERENCE DOCUMENT: SOP-DR0301004 Page 1 of 1

> **FRESENIUS KABI** Confidential

REVISION: E