

CompoSeal Universal

Tube sealing system

CompoSeal Universal provides a flexible desktop tube sealing system for perfect and reliable seals.

High quality seals

Reliable operations

Quick and easy handling

Flexible desktop sealing system, the choice for controlled, safe tube sealing







CompoSeal



CompoSeal Universal ensures seal quality

- Patented auto-tuning function for optimized sealing time and identical seal thickness (up to 6 mm tube diameter)
- Designed for heavy duty use
- Spark detection and seal time limiter for controlled handling
- Automatic tubing grips to ensure seal quality
- Indication of sealing progress
- Detachable head is easy to clean
- Process control ensures leakage detection
- Additional option for hand sealer for simultaneous operation



High quality seals for reliable operations

Efficient, quick and easy handling

Optional hand sealer function

Simultaneous operation is possible by connecting the hand sealer to the CompoSeal Universal.

With an optimal ergonomic design the hand sealer requires very low hand force; visual and acoustic alarm; detachable head is easy to clean.



CompoSeal Universal hand sealer is available on request

7390501/2 (ENG 05.17) © Fresenius Kabi AG. Reproduction and distribution - only with prior written authorization.

Process efficiency to help you achieve more

Ordering information

For more information such as literature, technical details, working instructions and equipment, please contact your local sales representative.

CE marked, Directive 2014/30/EU and Directive 2014/35/EU. Electrical safety, IEC 61010-1



Fresenius Kabi AG 61346 Bad Homburg Germany

Phone: +49 61 72 608-0 Fax: +49 6172 608-5786

