

FRESUBIN® 1000 COMPLETE TUBE FEED



DESCRIPTION

An unflavoured liquid consisting of protein (milk), fat (rapeseed oil, sunflower oil, fish oil), carbohydrate (maltodextrin), fibre (inulin, wheat dextrin and cellulose), vitamins, minerals and trace-elements.

PRESENTATION

Fresubin® 1000 Complete is a nutritionally complete 1kcal/ml tube feed with fibre. Contains 22% energy from protein. With fish oil. Suitable as sole source of nutrition. Fresubin® 1000 Complete is presented in a 1000ml EasyBag. Lactose and gluten free.

CONTRA-INDICATIONS

FOR ENTERAL USE ONLY
NOT SUITABLE FOR CHILDREN UNDER THREE YEARS
NOT SUITABLE FOR PATIENTS WITH GALACTOSAEMIA

PRECAUTIONS

TO BE USED UNDER MEDICAL SUPERVISION
ENSURE ADEQUATE FLUID INTAKE
USE WITH CAUTION IN CHILDREN UNDER 6 YEARS OF AGE
MONITOR FEEDING RATE
DO NOT USE IF BAG IS DAMAGED OR SWOLLEN OR CONTENT IS COAGULATED
DO NOT MIX WITH DRUGS

INDICATIONS FOR USE

For the dietary management of patients with or at risk of disease related malnutrition, in particular with increased protein and low energy needs.

Food for Special Medical Purposes.

Prescribable on FPI0/GPI0 for the following indications: For the dietary management of disease related malnutrition, short bowel syndrome, intractable malabsorption, pre-operative preparation of malnourished patient, dysphagia, proven inflammatory bowel disease, following total gastrectomy, bowel fistula.

DOSAGE

Dosage should be determined by a healthcare professional according to patients' needs

Recommendation for complete nutrition \geq 1000ml (1000kcal)/day and meets the average adult recommended daily requirements for vitamins, minerals and trace-elements*.

*For nutrients excluding vitamin D: Dietary Reference values for Food, Energy and Nutrients for the United Kingdom, Department of Health 1991. For vitamin D: Scientific Advisory Committee in Nutrition. Vitamin D and Health 2016. For energy: Scientific Advisory Committee on Nutrition. Dietary Reference Values for Energy. TSO London, 2011

STORAGE

Store at room temperature
Once opened use within 24 hours.
Shake well before use

SHELF LIFE

12 months from date of manufacture.

ENERGY DISTRIBUTION

Protein 22%
Fat 24%
Carbohydrate 50%
Fibre 4%

ORDER CODE

1000ml EasyBag 7017231

INGREDIENTS

Water, maltodextrin, edible sodium caseinate (from milk), vegetable oils (rapeseed oil, high-oleic sunflower oil), inulin, edible calcium caseinate (from milk), wheat dextrin, potassium citrate, whey protein (from milk), cellulose fibre, sodium citrate, fish oil, calcium chloride, potassium chloride, choline chloride, emulsifier (soya lecithins), calcium phosphate, magnesium citrate, magnesium chloride, vitamin C, magnesium oxide, sodium phosphate, acidity regulator (E 330), ferric diphosphate, zinc sulphate, vitamin E, manganese chloride, niacin, pantothenic acid, thiamin, sodium fluoride, cupric sulphate, riboflavin, vitamin B₆, vitamin A, beta-carotene, folic acid, chromium chloride, sodium molybdate, potassium iodide, sodium selenite, biotin, vitamin K, vitamin D, vitamin B₁₂

Date of Preparation:
February 2024

GB-FreTF-2400015

| NUTRITIONAL COMPOSITION | Per 100ml | Per 1000ml |
|--|-------------|-------------|
| ENERGY kcal (kJ) | 100 (422) | 1000 (4220) |
| PROTEIN g | 5.5 | 55 |
| CARBOHYDRATE g | 12.5 | 125 |
| Of which sugars g | 1.1 | 11 |
| Of which lactose g | \leq 0.04 | \leq 0.4 |
| FAT g | 2.7 | 27 |
| Of which saturated fatty acids g | 0.23 | 2.3 |
| Of which monounsaturated fatty acids g | 1.8 | 18 |
| Of which polyunsaturated fatty acids g | 0.67 | 6.7 |
| Of which EPA and DHA g | 0.05 | 0.5 |
| FIBRE g | 2 | 20 |
| SALT g | 0.38 | 3.83 |
| WATER ml | 82.5 | 825 |
| OSMOLARITY mosmol/l | 300 | |

| MINERALS AND TRACE ELEMENTS | Per 100ml | Per 1000ml |
|-----------------------------|------------|-------------|
| SODIUM mg (mmol) | 153 (6.66) | 1530 (66.6) |
| POTASSIUM mg (mmol) | 213 (5.45) | 2130 (54.5) |
| CHLORIDE mg (mmol) | 153 (4.32) | 1530 (43.2) |
| CALCIUM mg (mmol) | 85 (2.12) | 850 (21.2) |
| PHOSPHORUS mg (mmol) | 66 (2.13) | 660 (21.3) |
| MAGNESIUM mg (mmol) | 35 (1.44) | 350 (14.4) |
| IRON mg | 2 | 20 |
| ZINC mg | 1.5 | 15 |
| COPPER mg | 0.2 | 2 |
| MANGANESE mg | 0.4 | 4 |
| IODINE µg | 20 | 200 |
| CHROMIUM µg | 10 | 100 |
| MOLYBDENUM µg | 15 | 150 |
| FLUORIDE mg | 0.2 | 2 |
| SELENIUM µg | 10 | 100 |

| VITAMINS AND OTHER NUTRIENTS* | Per 100ml | Per 1000ml |
|-------------------------------|---------------|-------------|
| VITAMIN A µgRE | 138 | 1380 |
| of which β-carotene µg RE | 33 | 330 |
| VITAMIN D µg | 2 | 20 |
| VITAMIN E mgαTE | 2 | 20 |
| VITAMIN K µg | 10 | 100 |
| THIAMIN mg | 0.2 | 2 |
| RIBOFLAVIN mg | 0.26 | 2.6 |
| NIACIN mg | 1.2(2.2mg NE) | 12(22mg NE) |
| VITAMIN B ₆ mg | 0.24 | 2.4 |
| VITAMIN B ₁₂ µg | 0.4 | 4 |
| PANTOTHENIC ACID mg | 0.7 | 7 |
| BIOTIN µg | 7.5 | 75 |
| FOLIC ACID µg | 40 | 400 |
| VITAMIN C mg | 10 | 100 |
| CHOLINE* mg | 55 | 550 |

| TYPICAL FATTY ACID PROFILE | g Per 100ml |
|---------------------------------|-------------|
| C14 Myristic acid | 0.01 |
| C16 Palmitic acid | 0.13 |
| C16:1 ω-7 Palmitoleic acid | 0.01 |
| C18 Stearic acid | 0.06 |
| C18:1 ω-9 Oleic acid | 1.65 |
| C18:2 ω-6 Linoleic acid | 0.43 |
| C18:3 ω-3 α-Linolenic acid | 0.17 |
| C20:5 ω-3 Eicosapentaenoic acid | 0.03 |
| C22:6 ω-3 Docosahexaenoic acid | 0.02 |
| Ratio ω-6:ω-3 | 2:1 |

| TYPICAL AMINO ACID PROFILE | g Per 100ml |
|------------------------------|-------------|
| Histidine | 0.16 |
| Isoleucine | 0.32 |
| Leucine | 0.55 |
| Lysine | 0.46 |
| Methionine | 0.16 |
| Phenylalanine | 0.29 |
| Threonine | 0.26 |
| Tryptophan | 0.06 |
| Valine | 0.40 |
| Cysteine | 0.03 |
| Tyrosine | 0.30 |
| Glycine | 0.10 |
| Arginine | 0.20 |
| Glutamine and Glutamic Acid | 1.2 |
| Proline | 0.55 |
| Aspartic acid and asparagine | 0.41 |
| Alanine | 0.18 |
| Serine | 0.34 |

| TYPICAL CARBOHYDRATE PROFILE | g Per 100ml |
|--------------------------------------|-------------|
| Glucose | 0.2 |
| Fructose | 0.08 |
| Maltose | 0.72 |
| Saccharose | 0.06 |
| Lactose | \leq 0.04 |
| Oligosaccharides and Polysaccharides | 11.4 |