AMICUS Exchange



AMICUS Separator Kit Performance Report

Important: If reacti	on or injury ha	s occurred cal	I Freseniu	s Kabi Post-Market Q	uality Assurance	e at 1-800-933-6925.	
				_ Software Version: _	UDI No.:		
Product Code:		_ot No.:					
When Was the Prob	lem Detected?						
☐ Set Up ☐ Prime	% □ Exc	hange □ De	pletion [□ Depletion/Exchange	☐ Reinfusion	☐ After Procedure/QC	
Problem Type (Mark	all applicable)	☐ Cut/Slice	☐ Kink	☐ Particulate M	atter □ Res	triction/No Flow	
☐ Alarms (Specify) _			□ Leak	□ Separated	□ Blo	od Leak	
☐ Cracked ☐	Excess Air	☐ Missing	□ RBC	Contamination	□ Oth	1 er (Specify Below)	
Please answer the form. 1. Was there any adv. 2. If applicable, list not	verse event or ir	njury? Yes 🗆 N					
3. Was the procedure			•	Ν/Δ Π			
				lent? Yes□ No□ N/	A 🗆		
5. Was product lost?			,				
Check box if you do			letters. □				
				E-mail address for	letter recipient (i	f applicable)	
Please circle specific	c components	on the diagran	n where in	cident occurred			
	Secondary Waste Bags				Note: This Diagram is a g of an AMICUS Kit. It is no depict a specific code.		
	Y3	12					
		Tray					
Primary — Waste Bag			Righ	t Cassette Middle			
White Vented Replacement	Fluid Line Drip Ch	namber 5	6	Cassette	Umbil Upper	Lower Lower	
Red Spike ACD Line	Clamp	T2 3	4	13	pe Joint Tape	Bearing Joint Tape	
Spike → ↑ Replacement Fluid		mber T3	2)	ADC Coil	Por Y1	t Centrifuge Pack	
Clear Spike →	ine Drip Chambe			Air Trap Inlet Coil	Return Line Ret	ler Clamp Balance Chamber	
Purge Bag	Drip Chambe	Left	Cassette	n Line Filter		cess Centrifuge Pack	
)		ette Pump Tubing				
Additional Problem	Description / E	Explanation					
Kit Return To Frese	nius Kahi			Customor	Information (pl	ease nrint)	
1. Sample available for evaluation? Yes \(\simega \) No \(\simega \) Not Required \(\simega \)						equired to receive a credit	
2. Sample return box needed? Yes □ No □ Return label only □					Facility Name:		
3. Picture available for evaluation? Yes □ No □				Contact Pe	Contact Person:		
Please e-mail a clear picture along with this report to mdpmqa.usa@fresenius-kabi.com					Account Number (if known):		
mapmqa.usa@fre	senius-Kabi.co	om 		'	·		
Center Authorized Sig	nature/Date:				-		
					zip: nber:		
Fax this report to 1-888-	-858-2983 or F-m	ail to mdnmga us	a@freseniue	0	rson's E-mail:		

Fax this report to 1-888-858-2983 or E-mail to mdpmqa.usa@fresenius-kabi.com and include a copy of this form when returning a kit.